

The texdepends package*

Vincent DANJEAN

2021/10/26

Abstract

This package allows L^AT_EX to automatically generate dependencies while compiling documents.

Contents

1	Introduction	2
2	Implementation of texdepends	2
2.1	Options	2
2.2	Tools	3
2.2.1	Debug/info wrapper	3
2.2.2	Writing dependencies	4
2.2.3	Diverting a macro	6
2.2.4	Initialisation	7
2.2.5	Warning upon missing figures	7
2.3	Diversion of L ^A T _E X macros	8
2.3.1	Class and package loading	8
2.3.2	Tracking input files	9
2.3.3	Tracking output files	9
2.3.4	Tracking bibliography files	9
2.3.5	Glossary and index files	10
2.4	Diversion of package's macros	10
2.4.1	Package graphics	10
2.4.2	Package figl _{at} ex	12
2.4.3	Package doc	14
2.4.4	Package index	14
2.4.5	Package makeidx	14
2.4.6	Package nomencl	14
2.4.7	Package bibt _{opic}	15
2.4.8	Package comment	15

*This file has version number v2.4.3, last revised 2021/10/26.

1 Introduction

This package automatically generates dependencies on L^AT_EX files and packages, figures, bibliography files, glossary and index files. The generated file is then used by a Makefile to handle dependencies.

2 Implementation of texdepends

2.1 Options

1 `\package`

`texdepends` is easier to write with the `ifthen` package.

2 `\RequirePackage{ifthen}`

`debug` (*env.*) The debug option (enable debug messages, useful for debugging)

3 `\newboolean{TD@debug}`

4 `\newcommand{\TD@option@debug}[1][true]{%`

5 `%\PackageWarningNoLine{texdepends}{Setting debug to #1}`

6 `\setboolean{TD@debug}{#1}%`

7 `}%`

`extension` (*env.*) The extension option. We can use it to let `texdepends` know whether we compile a dvi or a pdf file.

8 `\def\TD@option@extension[#1]{%`

9 `%\PackageWarningNoLine{texdepends}{Using extension #1}`

10 `\def\TD@extension{#1}%`

11 `}%`

Managing options with specific code. Using the `keyval` package could be a solution, but this would add one more dependency.

12 `\def\TD@option@split#1=#2=#3\relax{%`

13 `\def\TD@option@name{#1}%`

14 `\ifx\TD@option@name\@empty\else`

15 `\expandafter\let\expandafter\TD@option@cmd`

16 `\csname TD@option@\TD@option@name\endcsname`

17 `%\PackageWarningNoLine{texdepends}{1: '#1', 2: '#2', 3: '#3'}`

18 `\ifx\TD@option@cmd\relax`

19 `\@unknownoptionerror%`

20 `\else`

21 `\ifx\@empty#3\@empty`

22 `\TD@option@cmd\relax%`

23 `\else`

24 `\def\TD@option@value{#2}%`

25 `\TD@option@cmd[\TD@option@value]%`

26 `\fi`

27 `\fi`

28 `\fi`

29 `}%`

All option are managed by the same code.

30 `\DeclareOption*{%`

31 `%\PackageWarningNoLine{texdepends}{Option \CurrentOption}%`

32 `\expandafter\TD@option@split\CurrentOption==\relax%`

33 `}%`

So lets process options

```
34 \ProcessOptions
```

If the `extension` option is not used, we try to find ourselves the good extension based on TeX engine or mode.

```
35 \ifthenelse{\isundefined{\TD@extention}}{%
36   \PackageWarningNoLine{texdepends}{No extension given: detecting it}%
37   \RequirePackage{ifxetex,ifpdf}%
38   \ifxetex%
39     \PackageWarningNoLine{texdepends}{Detected XeTeX: using .pdf}%
40     \def\TD@extention{.pdf}%
41   \else\ifpdf%
42     \PackageWarningNoLine{texdepends}{Detected PDF mode: using .pdf}%
43     \def\TD@extention{.pdf}%
44   \else%
45     \PackageWarningNoLine{texdepends}{Detected DVI mode. Using .dvi}%
46     \def\TD@extention{.dvi}%
47   \fi\fi%
48 }{%}
```

2.2 Tools

Some macros to help development

2.2.1 Debug/info wrapper

`\TD@warning` To write a warning

```
49 \RequirePackage{xstring}%
50 \newcommand{\TD@warning}[1]{%
51   \PackageWarningNoLine{texdepends}{#1}%
52 }%
```

`\TD@warningLine` To write a warning with line info

```
53 \newcommand{\TD@warningLine}[1]{%
54   \PackageWarning{texdepends}{#1}%
55 }%
```

`\TD@info` To write an info (as a warning if the debug option is set

```
56 \newcommand{\TD@info}[1]{%
57   \ifthenelse{\boolean{TD@debug}}{%
58     \PackageWarningNoLine{texdepends}{#1}%
59   }{%
60     \PackageInfo{texdepends}{#1}%
61   }%
62 }%
```

`\TD@debug` To write a message if the debug option is set

```
63 \newcommand{\TD@debug}[1]{%
64   \ifthenelse{\boolean{TD@debug}}{%
65     \PackageWarningNoLine{texdepends}{#1}%
66   }{%
67   }%
68 }%
```

2.2.2 Writing dependencies

We open the file where we will write dependencies and other infos.

```
69 \newwrite\TD@write
70 \TD@info{Writing info in '\jobname\TD@extention.mk'}
71 \immediate\openout\TD@write\jobname\TD@extention.mk%
```

And we define a few macro to write in this file

`\TD@print` We write something in the file

```
72 \def\TD@print#1{%
73   {%
74     % TODO: fix pb when #1 contains '#'
75     %\noexpandarg%
76     \StrSubstitute{#1}{//}{/}[\TD@write@text]%
77     \immediate\write\TD@write{\TD@write@text}%
78     %\immediate\write\TD@write{#1}%
79   }
80 }%
```

`\TD@printClass` We need a class

```
81 \def\TD@printClass#1{%
82   \TD@print{TD_\jobname\TD@extention _INPUTS\space += #1.cls}%
83 }%
```

`\TD@printPackage` We need a package

```
84 \def\TD@printPackage#1{%
85   \TD@print{TD_\jobname\TD@extention _INPUTS\space += #1.sty}%
86 }%
```

`\TD@printInput` We need a (L^AT_EX) file

```
87 \def\TD@printInput#1{%
88   \TD@print{TD_\jobname\TD@extention _INPUTS\space += #1}%
89 }%
```

`\TD@printFig` We want to ignore a dependency

```
90 \def\TD@printNoDependsFile#1{%
91   \TD@print{TD_\jobname\TD@extention _DEPENDS_EXCLUDE\space += #1}%
92 }%
```

`\TD@printFig` We need an XFig file

```
93 \def\TD@printFig#1{%
94   \TD@print{TD_\jobname\TD@extention _FIGURES\space += #1}%
95 }%
```

`\TD@printSubfig` We need a subfig file (see figlatex.dtx)

```
96 \def\TD@printSubfig#1{%
97   \TD@print{TD_\jobname\TD@extention _SUBFIGS\space += #1}%
98 }%
```

`\TD@printRequiredFile` A file is missing. texdepend will try to skip it this time, but it will be needed at the next compilation

```
99 \def\TD@printRequiredFile#1#2{%
100   \TD@print{TD_\jobname\TD@extention _REQUIRED\space += #1}%
101 }%
```

```

\RequireFile LaTeX users can directly declare a dependencie
102 \def\RequireFile#1{%
103   \TD@printRequiredFile{#1}{User}%
104 }%

\TD@printOut We write in a file
105 \def\TD@printOut#1{%
106   \TD@print{TD_\jobname\TD@extention _OUTPUTS\space += #1}%
107 }%

\TD@printGraphicspath We modify the graphicspath
108 \def\TD@printGraphicspath#1{%
109   \TD@print{TD_\jobname\TD@extention _GRAPHICSPATH\space := #1}%
110 }%

\TD@printBibfile We use a bibfile (*.bib)
111 \def\TD@printBibfile#1{%
112   \TD@print{TD_\jobname\TD@extention _BIBFILES\space += #1.bib}%
113 }%

\TD@printBibstyle We use a bibstyle file (*.bst)
114 \def\TD@printBibstyle#1{%
115   \TD@print{TD_\jobname\TD@extention _BIBSTYLES\space += #1.bst}%
116 }%

\TD@printBblfile We use a bibliography file (*.bbl)
117 \def\TD@printBblfile#1{%
118   \TD@print{TD_\jobname\TD@extention _BBLFILES\space += #1.bbl}%
119 }%

\TD@printRebuildRule We need a specific rule in the Makefile to check if a rebuild is needed
120 \def\TD@printRebuildRule#1{%
121   \TD@print{TD_\jobname\TD@extention _REBUILD_RULES\space += #1}%
122 }%

\TD@printIndex We use a new index
123 \def\TD@printIndex#1{%
124   \TD@print{TD_\jobname\TD@extention _INDEXES\space += INDEX}%
125   \TD@print{TD_\jobname\TD@extention _INDEXES_INDEX\space += #1}%
126 }%

\TD@printIndexSource The index file filled by LATEX
127 \def\TD@printIndexSource#1#2{%
128   \TD@print{TD_\jobname\TD@extention _INDEX_#1_SRC\space = #2}%
129 }%

\TD@printIndexTarget And the index file read by LATEX after makeindex processing
130 \def\TD@printIndexTarget#1#2{%
131   \TD@print{TD_\jobname\TD@extention _INDEX_#1_TARGET\space = #2}%
132 }%

```

```

\TD@printIndexStyle The index style to be used with makeindex (never called for now)
133 \def\TD@printIndexStyle#1#2{%
134   \TD@print{TD_\jobname\TD@extention _INDEX_#1_STYLE\space = #2}%
135 }%

```

```

\TD@printGlossary And the same things for glossary. Its name
136 \def\TD@printGlossary#1{%
137   \TD@print{TD_\jobname\TD@extention _INDEXES += GLOSS}%
138   \TD@print{TD_\jobname\TD@extention _INDEXES_GLOSS\space += #1}%
139 }%

```

```

\TD@printGlossarySource The glossary file filled by LATEX
140 \def\TD@printGlossarySource#1#2{%
141   \TD@print{TD_\jobname\TD@extention _GLOSS_#1_SRC\space = #2}%
142 }%

```

```

\TD@printGlossaryTarget And the glossary file read by LATEX after makeindex processing
143 \def\TD@printGlossaryTarget#1#2{%
144   \TD@print{TD_\jobname\TD@extention _GLOSS_#1_TARGET\space = #2}%
145 }%

```

```

\TD@printGlossaryStyle The glossary style to be used with makeindex (never called for now)
146 \def\TD@printGlossaryStyle#1#2{%
147   \TD@print{TD_\jobname\TD@extention _GLOSS_#1_STYLE\space = #2}%
148 }%

```

2.2.3 Diverting a macro

`\TD@switch` `\TD@switch` replace the macro `\#1` by the macro `\TD@#1`. The original macro is stored in the `\TD@orig@#1` macro. Nothing is done if `\#1` is already `\TD@#1` (that is if `\TD@switch` is called several times with the same argument)

```

149 \def\TD@switch#1{%
150   \expandafter\let\expandafter\TD@local@old\csname#1\endcsname%
151   \expandafter\let\expandafter\TD@local@new\csname TD@#1\endcsname%
152   \ifx\TD@local@old\TD@local@new
153     \PackageWarning{texdepends}{#1 already redefined. Skipping it.}%
154   \else
155     \ifx\TD@local@old\relax
156       \TD@warning{Diverting empty macro '#1' \MessageBreak%
157         Probably a bug in texdepends.sty}%
158     \else
159       \TD@info{Diverting macro '#1'}%
160     \fi
161     \expandafter\let\csname TD@orig@#1\endcsname\TD@local@old%
162     \expandafter\let\csname#1\endcsname\TD@local@new%
163   \fi
164 }%

```

`\TD@docswitch` Sometimes, we want the diversion to be delayed until the start of the document.

```

165 \def\TD@docswitchlist{%
166 \def\TD@docswitch#1{%
167   \TD@info{Registering macro '#1' for diversion}%
168   \ifx\TD@docswitchlist\@empty%

```

```

169 \xdef\TD@docswitchlist{#1}%
170 \else%
171 \xdef\TD@docswitchlist{\TD@docswitchlist,#1}%
172 \fi%
173 }%
174 \AtBeginDocument{%
175 \TD@info{Diverting registered macros...}%
176 \@for\TD@cmd:=\TD@docswitchlist\do{%
177 \TD@switch{\TD@cmd}%
178 }%
179 \TD@info{Divertions done}%
180 }%

```

`\TD@PackagePreDivert` And then, two macros to insert command just before or after loading a package.
`\TD@PackagePostDivert` The first argument is the name of the package we want to add an hook before or after, and then there is the definition of the hook that will be called. Four parameters (`#1`, ..., `#4`) are available (the same as the `@onefilewithoptions` L^AT_EX macro, ie package name, options, and the two remaining ;-)).

```

181 \def\TD@PackagePreDivert#1{%
182 \expandafter\def\csname TD@PackageStart@#1\endcsname ##1##2##3##4%
183 }%
184 \def\TD@PackagePostDivert#1{%
185 \expandafter\def\csname TD@PackageEnd@#1\endcsname ##1##2##3##4%
186 }%

```

2.2.4 Initialisation

We need to be loaded *before* `\documentclass`

```

187 \ifx\documentclass\@twoclasseserror
188 \PackageError{texdepends}{texdepends needs to be loaded BEFORE
189 \string\documentclass \MessageBreak
190 Use \string\RequirePackage\space instead of \string\usepackage
191 \MessageBreak as the later is not allowed before
192 \string\documentclass}
193 \fi

```

And we write the first dependency (upon ourself)

```
194 \TD@printPackage{texdepends}
```

We write default graphicspath (is this really needed ?)

```
195 \TD@printGraphicspath{.}
```

2.2.5 Warning upon missing figures

`\TD@depends` If some figures are missing, `\TD@missingDepends` will be called so that a warning
`\TD@dependsWarning` will be displayed at the end of the compilation. Figures should be generated before
`\TD@missingDepends` the next run.

```

196 \def\TD@depends{%
197 \def\TD@dependsWarning{%
198 \PackageWarningNoLine{texdepends}{Figure(s) missing. Check
199 dependencies again}%
200 }%
201 \def\TD@missingDepends{%
202 \global\let\TD@depends\TD@dependsWarning%

```

```

203 }%
204 \AtEndDocument{%
205   \TD@depends%
206 }%

```

2.3 Diversion of L^AT_EX macros

2.3.1 Class and package loading

`\TD@@fileswith@pti@ns` Diverting `\@fileswith@pti@ns` and `@@fileswith@pti@ns` so that we can track `\TD@@@fileswith@pti@ns` class loading. Package are tracked with an other macro (see just after).

```

207 \def\TD@@fileswith@pti@ns#1[#2]#3[#4]{%
208   \ifx#1\@clsextension
209     \TD@printClass{#3}
210   \fi
211   \TD@orig@@fileswith@pti@ns{#1}#2}{#3}#4}%
212 }%
213 \let\TD@@@fileswith@pti@ns\TD@@fileswith@pti@ns
214 \TD@switch{@fileswith@pti@ns}%
215 \TD@switch{@@fileswith@pti@ns}%

```

`\TD@@onefilewithoptions` By diverting `\@onefilewithoptions`, we can track all loaded packages. We write the dependency, and we look at the loaded package to see if we need some special requirements

```

216 \def\TD@@onefilewithoptions#1[#2]#3#4{%
217   \TD@printPackage{#1}%
218   \ifthenelse{\equal{#1}{texdepends}}{%

```

The `texdepends` package is special : we know it has already been loaded (we are running code in it) but perhaps L^AT_EX does not know it. So we try to honor the `debug` option.

```

219   \TD@debug{Package '1' detected}
220   \@for\TD@package@option:=#2\do{%
221     \ifthenelse{\expandafter\isundefined\csname TD@option@\TD@package@option\endcsname}{
222       \TD@warningLine{Ignoring unknown option '\TD@package@option'}
223     }{
224       \ifthenelse{%
225         \equal{\TD@package@option}{debug}%
226         %\OR\equal{\TD@package@option}{debug}%
227       }{
228         \csname TD@option@\TD@package@option\endcsname%
229       }{
230         \TD@warningLine{Ignoring option '\TD@package@option'
231           \MessageBreak #1 already loaded
232         }
233       }
234     }
235   }
236 }{%
237   \expandafter\let\expandafter\TD@divert
238   \csname TD@PackageStart@#1\endcsname
239   \ifx\TD@divert\relax
240     \TD@debug{No preamble for package #1}
241   \else

```



```

242 \TD@info{Preamble for package #1}
243 \TD@divert{#1}{#2}{#3}{#4}%
244 \fi
245 \TD@orig@@onefilewithoptions{#1}[#2][#3]{#4}%
246 \expandafter\let\expandafter\TD@divert
247 \csname TD@PackageEnd@#1\endcsname
248 \ifx\TD@divert\relax
249 \TD@debug{No postamble for package #1}
250 \else
251 \TD@info{Postamble for package #1}
252 \TD@divert{#1}{#2}{#3}{#4}%
253 \fi
254 }%
255 }%
256 \TD@switch{onefilewithoptions}%

```

2.3.2 Tracking input files

\TD@@input \@input and \@input@ are diverted to track loaded files

```

\TD@@input@ 257 \def\TD@@input#1{%
258 \TD@printInput{#1}%
259 \TD@orig@@input{#1}}%
260 \def\TD@@input@#1{%
261 \IfFileExists{#1}{%
262 \TD@printInput{#1}%
263 }{}%
264 \TD@orig@@input@{#1}}%
265 \TD@switch{@input}%
266 \TD@switch{@input@}%
267 \def\TD@verbatiminput#1{%
268 \TD@printInput{#1}%
269 \TD@orig@verbatiminput{#1}}%
270 \TD@PackagePostDivert{verbatim}{%
271 \TD@switch{verbatiminput}}%

```

2.3.3 Tracking output files

\TD@openout Note: that does not work. Currently, we parse the log file instead of using this. If
\TD@poenout@eq someone has ideas...

```

\TD@poenout@noeq 272 \let\TD@orig@openout\openout
273 \def\TD@openout#1{%
274 \@ifnextchar={\TD@openout@eq#1}{\TD@openout@noeq#1}}
275 \def\TD@openout@eq#1=#2.#3{%
276 \TD@printOut{#2.#3}%
277 \TD@orig@openout#1=#2.#3%
278 }%
279 \def\TD@openout@noeq#1#2.#3{%
280 \TD@printOut{#2.#3}%
281 \TD@orig@openout#1#2.#3%
282 }%
283 %\TD@switch{openout}

```

2.3.4 Tracking bibliography files

```

284 \def\TD@bibli@bbl{%
285     \TD@printBblfile{\jobname}%
286     \global\let\TD@bibli@bbl\relax%
287 }%
288 \def\TD@bibli@files#1{%
289     \TD@bibli@bbl%
290     \@for\TD@bibfile:=#1\do{%
291         \TD@printBibfile{\TD@bibfile}%
292     }%
293 }
294 \def\TD@bibli@style#1{%
295     \TD@bibli@bbl%
296     \@for\TD@bibstyle:=#1\do{%
297         % \TD@printBibstyle{\TD@bibstyle}%
298     }%
299     \TD@printBibstyle{#1}%
300 }
301 \def\TD@bibliography#1{%
302     \TD@bibli@files{#1}%
303     \TD@orig@bibliography{#1}%
304 }%
305 \def\TD@bibliographystyle#1{%
306     \TD@bibli@style{#1}%
307     \TD@orig@bibliographystyle{#1}%
308 }%
309 \TD@docswitch{bibliography}%
310 \TD@switch{bibliographystyle}%

```

2.3.5 Glossary and index files

```

311 \def\TD@makeindex{%
312     \TD@printIndex{\jobname}%
313     \TD@printIndexSource{\jobname}{\jobname.idx}%
314     \TD@orig@makeindex%
315 }%
316 \def\TD@makeglossary{%
317     \TD@printGlossary{\jobname}%
318     \TD@printGlossarySource{\jobname}{\jobname.glo}%
319     \TD@orig@makeglossary%
320 }%
321 \TD@switch{makeindex}%
322 \TD@switch{makeglossary}%

```

2.4 Diversion of package's macros

2.4.1 Package graphics

```

323 \def\TD@Gin@getbase#1{%
324     \TD@orig@Gin@getbase{#1}%
325     \ifx\Gin@ext\relax%
326     \else%
327         \TD@printFig{\Gin@base\Gin@ext}%
328     \fi%
329 }%
330 \def\TD@Gin@include@eps#1{%
331     \IfFileExists{#1}{%

```

```

332 \TD@orig@Ginclude@eps{#1}%
333 }{%
334 \PackageWarning{texdepends}{Figure '#1' needed\MessageBreak
335     Skipping it this time (the last one however)\MessageBreak}%
336 \TD@missingDepends%
337 \TD@printRequiredFile{#1}{eps}%
338 }%
339 }%
340 \def\TD@Ginclude@pdf#1{%
341 \IfFileExists{#1}{%
342 \TD@orig@Ginclude@pdf{#1}%
343 }{%
344 \PackageWarning{texdepends}{Figure '#1' needed\MessageBreak
345     Skipping it this time (the last one however)\MessageBreak}%
346 \TD@missingDepends%
347 \TD@printRequiredFile{#1}{pdf}%
348 }%
349 }%
350 \def\TD@graphicspath#1{%
351 \TD@printGraphicspath{#1}%
352 \TD@orig@graphicspath{#1}%
353 }%
354 \def\TD@Gread@eps#1{%
355 \IfFileExists{#1}{%
356 %\PackageWarning{texdepends}{Gread File '#1' exists}%
357 \TD@orig@Gread@eps{#1}%
358 }{%
359 \PackageWarning{texdepends}{No '#1' file \MessageBreak
360     using 1 for graphic dimensions}%
361 \setbox\@tempboxa\hbox{\relax}%
362 \def\Gin@llx{1}\let\Gin@lly\Gin@llx
363 \Gin@defaultbp\Gin@urx{\wd\@tempboxa}%
364 \Gin@defaultbp\Gin@ury{\ht\@tempboxa}%
365 }%
366 }%
367 \def\TD@Gread@pdf#1{%
368 \IfFileExists{#1}{%
369 %\PackageWarning{texdepends}{Gread File '#1' exists}%
370 \TD@orig@Gread@pdf{#1}%
371 }{%
372 \PackageWarning{texdepends}{No '#1' file \MessageBreak
373     using 1 for graphic dimensions}%
374 \setbox\@tempboxa\hbox{\relax}%
375 \def\Gin@llx{1}\let\Gin@lly\Gin@llx
376 \Gin@defaultbp\Gin@urx{\wd\@tempboxa}%
377 \Gin@defaultbp\Gin@ury{\ht\@tempboxa}%
378 }%
379 }%
380 \TD@PackagePostDivert{graphics}{%
381 \TD@switch{graphicspath}%
382 \TD@docswitch{Gin@getbase}%
383 \TD@docswitch{Ginclude@eps}%
384 \TD@docswitch{Ginclude@pdf}%
385 \TD@docswitch{Gread@eps}%

```

```

386 \TD@docswitch{Gread@pdf}%
387 }%

```

2.4.2 Package figlatex

```

388 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
389 % We do not want to fail when trying to load a missing subfig.
390 % \@Ginclude@rawtex
391 \def\TD@FL@includerawtexgraphics[#1]#2{%
392   \IfFileExists{#2}{%
393     \TD@orig@FL@includerawtexgraphics[#1]{#2}%
394   }{%
395     \PackageWarning{texdepends}{Figure '#2' needed\MessageBreak
396       Skipping it this time (the last one however)\MessageBreak}%
397     \TD@missingDepends%
398     \TD@printRequiredFile{#2}{rawtexgraphics}%
399   }%
400 }%
401
402 \def\TD@Ginclude@rawtex#1{%
403   \IfFileExists{#1}{%
404     \TD@orig@Ginclude@rawtex{#1}%
405   }{%
406     \PackageWarning{texdepends}{Figure '#1' needed\MessageBreak
407       Skipping it this time (the last one however)\MessageBreak}%
408     \TD@missingDepends%
409     \TD@printRequiredFile{#1}{rawtex}%
410   }%
411 }%
412
413 % \@Ginclude@figtex
414 \def\TD@Ginclude@figtex#1{%
415   \IfFileExists{#1}{%
416     \%PackageWarning{texdepends}{Ginclude File '#1' exists}%
417     \TD@orig@Ginclude@figtex{#1}%
418   }{%
419     \ifthenelse{\isundefined{\FL@subfig@mainfigname}}{%
420       \PackageWarning{texdepends}{Figure '#1' needed\MessageBreak
421         Skipping it this time (the last one however)\MessageBreak}%
422     }{%
423       \PackageWarning{texdepends}{SubFigure '#1' from
424         \FL@subfig@mainfigname needed\MessageBreak
425         Skipping it this time (the last one however)\MessageBreak}%
426     }
427     \TD@missingDepends%
428     \TD@printRequiredFile{#1}{figtex}%
429   }%
430 }%
431 % \@Ginclude@svgtex
432 \def\TD@Ginclude@svgtex#1{%
433   \IfFileExists{#1}{%
434     \%PackageWarning{texdepends}{Ginclude File '#1' exists}%
435     \TD@orig@Ginclude@svgtex{#1}%
436   }{%
437     \ifthenelse{\isundefined{\FL@subfig@mainfigname}}{%

```

```

438     \PackageWarning{texdepends}{Figure '#1' needed\MessageBreak
439     Skipping it this time (the last one however)\MessageBreak}%
440 }{%
441     \PackageWarning{texdepends}{SubFigure '#1' from
442     \FL@subfig@mainfigname needed\MessageBreak
443     Skipping it this time (the last one however)\MessageBreak}%
444 }
445 \TD@missingDepends%
446 \TD@printRequiredFile{#1}{svgtex}%
447 }%
448 }%
449
450
451 % \@Gread@figtex
452 \def\TD@Gread@figtex#1{%
453     \IfFileExists{#1}{%
454         \PackageWarning{texdepends}{Gread File '#1' exists}%
455         \TD@orig@Gread@figtex{#1}%
456     }{%
457         \PackageWarning{texdepends}{No '#1' file \MessageBreak
458         using 1 for graphic dimensions}%
459         \setbox\@tempboxa\hbox{\relax}%
460         \def\Gin@llx{1}\let\Gin@lly\Gin@llx
461         \Gin@defaultbp\Gin@urx{\wd\@tempboxa}%
462         \Gin@defaultbp\Gin@ury{\ht\@tempboxa}%
463     }%
464 }%
465
466 % \@Gread@svgtex
467 \def\TD@Gread@svgtex#1{%
468     \IfFileExists{#1}{%
469         \PackageWarning{texdepends}{Gread File '#1' exists}%
470         \TD@orig@Gread@svgtex{#1}%
471     }{%
472         \PackageWarning{texdepends}{No '#1' file \MessageBreak
473         using 1 for graphic dimensions}%
474         \setbox\@tempboxa\hbox{\relax}%
475         \def\Gin@llx{1}\let\Gin@lly\Gin@llx
476         \Gin@defaultbp\Gin@urx{\wd\@tempboxa}%
477         \Gin@defaultbp\Gin@ury{\ht\@tempboxa}%
478     }%
479 }%
480 % \FL@subfig@check
481 \def\TD@FL@subfig@check#1{%
482     \TD@printRequiredFile{#1}{subfigcheck}%
483     \TD@printSubfig{#1}%
484 }%
485 %
486 \TD@PackagePostDivert{figlatex}{%
487     \TD@docswitch{FL@includerawtexgraphics}%
488     \TD@docswitch{Ginclude@rawtex}%
489     \TD@docswitch{Ginclude@figtex}%
490     \TD@docswitch{Ginclude@svgtex}%
491     \TD@docswitch{Gread@figtex}%

```

```

492 \TD@docswitch{Gread@svgtex}%
493 \TD@docswitch{FL@subfig@check}%
494 }%

```

2.4.3 Package doc

```

495 \def\TD@PrintIndex{%
496 \TD@printIndexStyle{\jobname}{gind.ist}
497 \TD@printIndexTarget{\jobname}{\jobname.ind}
498 \TD@orig@PrintIndex%
499 }%
500 \def\TD@PrintChanges{%
501 \TD@printGlossaryStyle{\jobname}{gglo.ist}
502 \TD@printGlossaryTarget{\jobname}{\jobname.gls}
503 \TD@orig@PrintChanges%
504 }%
505 \TD@PackagePostDivert{doc}{%
506 \TD@docswitch{PrintIndex}%
507 \TD@docswitch{PrintChanges}%
508 }%

```

2.4.4 Package index

```

509 \def\TD@def@index#1#2#3#4{%
510 \TD@printIndex{#2}%
511 \TD@printIndexSource{#2}{\jobname.#3}%
512 \TD@printIndexTarget{#2}{\jobname.#4}
513 \TD@orig@def@index{#1}{#2}{#3}{#4}%
514 }%
515 \TD@PackagePostDivert{index}{%
516 \TD@switch{def@index}%
517 }%

```

2.4.5 Package makeidx

```

518 \def\TD@printindex{%
519 \TD@printIndexTarget{\jobname}{\jobname.ind}
520 \TD@orig@printindex%
521 }%
522 \TD@PackagePostDivert{makeidx}{%
523 \TD@docswitch{printindex}%
524 }%

```

2.4.6 Package nomencl

We divert `makeglossary` again after loading this package as its redefines this macro (loosing our diversion). We also setup the glossary style for this package.

```

525 \def\TD@printglossary{%
526 \TD@printGlossaryTarget{\jobname}{\jobname.gls}
527 \TD@orig@printglossary%
528 }%
529 \TD@PackagePostDivert{nomencl}{%
530 \TD@docswitch{printglossary}%
531 \TD@switch{makeglossary}%
532 \TD@printGlossaryStyle{\jobname}{nomencl.ist}
533 }%

```

2.4.7 Package bibtopic

```

534 % For the bibtopic package
535 \def\TD@btSect{%
536   \@ifnextchar[{\TD@btSect@opt}{\TD@btSect@noopt}}
537 \def\TD@btSect@opt[#1]#2{%
538   \TD@bibli@files{#2}%
539   \TD@bibli@style{#1}%
540   \TD@orig@btSect[#1]{#2}}
541 \def\TD@btSect@noopt#1{%
542   \TD@bibli@files{#1}%
543   \TD@orig@btSect{#1}}
544
545 \def\TD@@bt@write@auxfile{%
546   \TD@printBblfile{\thebt@auxfile}%
547   \TD@orig@@bt@write@auxfile%
548 }%
549 \TD@PackagePostDivert{bibtopic}{%
550   \global\let\TD@bibli@bbl\relax%
551   \global\let\TD@biblio@rules@package\TD@biblio@rules@package@bibtopic%
552   \TD@switch{@bt@write@auxfile}%
553   \TD@printOut{btbbl.aux}%
554   \TD@printRebuildRule{bibtopic}%
555   \TD@docswitch{btSect}%
556 }%

```

2.4.8 Package comment

```

557 % For the comment package, the |comment.cut| file must not be used as
558 % a dependency: it is read and written several times during a compilation.
559 \TD@PackagePostDivert{comment}{%
560   \TD@printNoDependsFile{comment.cut}%
561 }%
562 </package>

```

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\@Ginclud@figtex	413
\@Ginclud@rawtex	390
\@Ginclud@svgtex	431
\@Gread@figtex	451
\@Gread@svgtex	466
\@clsextension	208
\@for	176, 220, 290, 296
\@ifnextchar	274, 536
\@tempboxa	361, 363, 364, 374, 376, 377, 459, 461, 462, 474, 476, 477
\@twoclasseserror	187
\@unknownoptionerror	19
A	
\AtBeginDocument	174
\AtEndDocument	204
B	
\boolean	57, 64
C	
\CurrentOption	31, 32

D		
debug (option)	3	
\documentclass	187, 189, 192	
E		
extension (option)	8	
F		
\FL@subfig@check	480	
\FL@subfig@mainfigname	419, 424, 437, 442	
G		
\Gin@base	327	
\Gin@defaultbp	363, 364, 376, 377, 461, 462, 476, 477	
\Gin@ext	325, 327	
\Gin@llx	362, 375, 460, 475	
\Gin@lly	362, 375, 460, 475	
\Gin@urx	363, 376, 461, 476	
\Gin@ury	364, 377, 462, 477	
I		
\ifxetex	38	
\isundefined	35, 221, 419, 437	
N		
\newboolean	3	
\noexpandarg	75	
O		
options:		
debug	3	
extension	8	
\OR	226	
P		
\PackageError	188	
\PackageInfo	60	
R		
\RequireFile	102	
S		
\setboolean	6	
\StrSubstitute	76	
T		
\TD@@@fileswith@pti@ns	207	
\TD@bt@write@auxfile	545	
\TD@@fileswith@pti@ns	207	
\TD@iinput	257	
\TD@input@	257	
\TD@onefilewithoptions	216	
\TD@bibfile	290, 291	
\TD@bibli@bbl	284, 286, 289, 295, 550	
\TD@bibli@files	288, 302, 538, 542	
\TD@bibli@style	294, 306, 539	
\TD@biblio@rules@package	551	
\TD@biblio@rules@package@bibtopic	551	
\TD@bibliography	301	
\TD@bibliographystyle	305	
\TD@bibstyle	296, 297	
\TD@btSect	535	
\TD@btSect@noopt	536, 541	
\TD@btSect@opt	536, 537	
\TD@cmd	176, 177	
\TD@debug	63, 219, 240, 249	
\TD@def@index	509	
\TD@depends	196	
\TD@dependsWarning	196	
\TD@divert	237, 239, 243, 246, 248, 252	
\TD@docswitch	165, 309, 382, 383, 384, 385, 386, 487, 488, 489, 490, 491, 492, 493, 506, 507, 523, 530, 555	
\TD@docswitchlist	165, 168, 169, 171, 176	
\TD@extention	10, 35, 40, 43, 46, 70, 71, 82, 85, 88, 91, 94, 97, 100, 106, 109, 112, 115, 118, 121, 124, 125, 128, 131, 134, 137, 138, 141, 144, 147	
\TD@FL@includerawtexgraphics	391	
\TD@FL@subfig@check	481	
\TD@Gin@getbase	323	
\TD@Gin@include@eps	330	
\TD@Gin@include@figtex	414	
\TD@Gin@include@pdf	340	
\TD@Gin@include@rawtex	402	
\TD@Gin@include@svgtx	432	
\TD@graphicspath	350	
\TD@Gread@eps	354	
\TD@Gread@figtex	452	
\TD@Gread@pdf	367	
\TD@Gread@svgtx	467	
\TD@info	56, 70, 159, 167, 175, 179, 242, 251	
\TD@local@new	151, 152, 162	
\TD@local@old	150, 152, 155, 161	
\TD@makeglossary	316	
\TD@makeindex	311	
\TD@missingDepends	196, 336, 346, 397, 408, 427, 445	
\TD@openout	272	
\TD@openout@eq	274, 275	
\TD@openout@noeq	274, 279	
\TD@option@cmd	15, 18, 22, 25	

index.sty	1	v2.3.0	
v1.1.0		General: ignore comment.cut file	
General: Manage index/glossary .	1	from the comment package . .	1
Rewrite of the package	1	v2.4.1	
v1.2.0		General: No changes in	
General: Better management of		texdepends.dtx	1
subfig files	1	v2.4.2	
v1.3.0		General: Replace // by / in paths	1
General: Management of svg files	1	v2.4.3	
v2.2.5		General: No changes in	
General: No changes in		texdepends.dtx	1
texdepends.dtx	1		